

# Biscotti

Sample ID: 2605NBL0904.2503  
Matrix: Plant  
Type: Hemp  
Sample Size:  
Date Collected:

Received: 06/11/2026  
Completed: 06/11/2026  
Expires: 06/11/2027  
External Lot ID:  
Batch#:

Client  
**Global Motion Holdings**  
Lic. #  
4030 Wake Forest Rd Raleigh, NC 27609  
(1NN) NNN-NNNN globalmotionpacks@gmail.com



## Summary

Test	Date Tested	Result
Cannabinoids	06/11/2026	Complete

## Cannabinoids

Complete



Analyte	LOD	LOQ	Result	Result
	%	%	%	mg/g
(6aR,9R)-d10-THC	0.0478	0.072	ND	ND
9R-HHC	0.0478	0.072	ND	ND
(6aR,9S)-d10-THC	0.0478	0.072	ND	ND
9S-HHC	0.0478	0.072	ND	ND
CBC	0.0478	0.072	ND	ND
CBCa	0.0478	0.072	0.075	0.75268
CBD	0.0478	0.072	ND	ND
CBDa	0.0478	0.072	ND	ND
CBDV	0.0478	0.072	ND	ND
CBDVa	0.0478	0.072	ND	ND
CBG	0.0478	0.072	0.093	0.93244
CBGa	0.0478	0.072	0.146	1.45522
CBN	0.0478	0.072	ND	ND
CBNa	0.0478	0.072	ND	ND
Δ8-THC	0.0478	0.072	ND	ND
Δ9-THC	0.0478	0.072	0.199	1.98828
THCa	0.0478	0.072	27.343	273.43062
THCp	0.0478	0.072	ND	ND
THCV	0.0478	0.072	ND	ND
THCVa	0.0478	0.072	0.081	0.81069
<b>Total THC</b>			<b>24.179</b>	<b>241.78693</b>
<b>Total CBD</b>			<b>ND</b>	<b>ND</b>
<b>Total</b>			<b>27.937</b>	<b>279.36993</b>

Date Tested: 06/11/2026

Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.

Total THC = THCa \* 0.877 + Δ9-THC; Total CBD = CBDa \* 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; Total THC Measurement of Uncertainty: ± 0.040%; Total CBD Measurement of Uncertainty: ± 2.000%.



*Ashley Phillips*

Ashley Phillips  
Laboratory Director  
06/11/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.